


DIV. 81

CLASS
16
NO. 79



PATENT OFFICE
AUG 2 1960
DIVISIONS 81 & 82

ALLISON **APO** CABINETS for The **PROFESSIONAL SUITE**

Feb. 5.
1960

1000 and 1100 Series
DESIGNED for
Economy and Efficiency



Less Fatigue





SAVES TIME

for

- ✓ Patient
- ✓ Dentist
- ✓ Physician

RETURN TO
DESIGN DIV.





A COMPLETE LINE OF
MODULAR CABINETS

by ALLISON for
MAXIMUM WORKING CONVENIENCE

APO 1000-1100 Series

Allison Professional Office furniture is designed and styled to enable each Dentist or Physician to plan and lay out his office to his individual requirements. Time and motion studies reveal that fatigue can be reduced considerably if operatories, laboratories and other areas are arranged to give maximum efficiency. Comfortable working heights, convenient drawer locations, adequate storage facilities are all engineered into APO units.


All exposed surfaces of APO Cabinets are Doe-grain pattern of FIBERESIN. A warm and inviting appearance to enhance the beauty of any office in new construction or remodeling work. FIBERESIN's attractiveness isn't its only asset—the smooth seamless surface is impervious to the liquids used in a Professional office—it means "easy-to-clean" and "maintenance-free" service.

Over 25 different cabinets offering hundreds of combinations, assure the right arrangement for each office. Each cabinet can be placed exactly where it will offer the best utility and each wall area can be fully utilized so there is no unused floor space.

For complete information on how you can improve patient service and reduce unnecessary motion and fatigue, consult with your Dental or Physicians' Supply Dealer.



ALLISON APO for the Laboratory



ALLISON APO for the Operatory



ALLISON APO for the Examining Room

FINE FURNITURE CONSTRUCTION

Although the APO series is basically cabinet construction ALLISON designers have spared nothing to incorporate the features of fine furniture construction that highlights other ALLISON Professional Furniture lines. ALLISON APO brings to the Professional Office custom design and workmanship at standard production prices. The amazingly low price of the average installation enables everyone to enjoy the efficiency, the lasting beauty, plus the many exclusive extras that only APO offers.

VARYING WORK HEIGHTS

Three different base sizes enable you to select from a variety of work heights. The STANDARD five inch base provides a work top 38 inches from the floor; the two inch base offers a work top 35 inches from the floor; and the eight inch base offers a higher work height at 41 inches. The two inch and eight inch bases are available at slight extra cost.

FULL STORAGE HEIGHT

APO free standing units give you maximum storage area for your rent investment. You get the advantage of full storage height... there are no vacant areas under cabinets. Every square foot of space from the floor to the work tops is available for you to use as best suits your particular requirements.

ALLISON APO DESIGN— Result of Research

Exclusive and distinctive APO design was developed for the Professional Office and Clinic based on exhaustive research of plans and specifications for modern Professional Buildings. In addition, consideration was given to older buildings now being remodeled and APO cabinets are designed to adapt readily to the average size rooms in these buildings.

Design and Style of all Allison APO Units are subject to change as necessary.

ALLISON APO CABINETS*

*ALLISON PROFESSIONAL OFFICE FURNITURE

BASE CABINETS



1000—BASE CABINET
Two doors, cupboard with shelf.

1002—BASE CABINET
Two drawers 3 3/4" high, two doors, cupboard with shelf.

1003—BASE CABINET
Three drawers 1 7/8" high, two doors, cupboard with shelf.

ALL BASE CABINETS MEASURE—


23" wide, 18" deep, 38" to working surface. Furnished with-out tops.



1004—BASE CABINET
Four drawers; three 1 7/8" high, one 3 3/4" high. Two doors, roomy cupboard.


1006—BASE CABINET
Six drawers 3 3/4" high.

1008—BASE CABINET
Eight drawers; six 1 7/8" high, two 3 3/4" high.



1009—SINK CABINET
Swinging hamper door. Two door cupboard section. Includes linen hamper.

1010—CORNER CABINET
Corner cabinet, swinging hamper door. Single door cupboard section. Allow 27" on each wall. Includes linen hamper. (Individual top)




"SPECIAL PURPOSE" CABINETS



1011—"SPECIAL PURPOSE" CABINET
Knee Hole Unit. 7 3/8" high, one drawer 3 3/4" high. For use between two base cabinets, hanging base cabinets or on end with 1033 panel.

A variety of special units are available that offer additional flexibility in APO cabinet arrangement. These units incorporate specialized work and storage areas that complete the APO installation to the individual requirements of the dentist or physician.

1012—"SPECIAL PURPOSE" CABINET
Hinged Lift Top. Enclosed working and storage space for Hydrocolloid unit, amalgamator or welder with double electrical outlet. Two doors, cupboard. Unit has individual top.




1013—"SPECIAL PURPOSE" CABINET
Upper Section for Eight Sliding Trays, combination sliding door-shelf. Three drawers 3 3/4" high.

5013—TRAY
Stainless Steel Tray for above, 9 3/4" x 13 1/2" x 5/8".

1014—"SPECIAL PURPOSE" CABINET
Extension Instrument Cabinet. Three drawers: two 1 7/8" high, one 3 3/4" high. Two pull-out handles. Two door cupboard section. Drawer compartment can be extended from cabinet 10", drawers can be extended 8", instruments easily accessible, top of extension provides work area. (For use between Base Cabinets only—Nos. 1000 thru 1010.)


HANGING BASE CABINETS

All Hanging Base Cabinets measure 23" wide, 18" deep, 15 1/2" high. Can be wall mounted or used between all Base Cabinets except "Special Purpose" Cabinets.



1109—HANGING SINK CABINET
Designed especially for use with Hanging Base Cabinet Series. However, may also be used between Standing Base Cabinets

1153—HANGING BASE CABINET
Three drawers: one 1 7/8" high, two 3 3/4" high.



1154—HANGING BASE CABINET
Four drawers 1 7/8" high

1163—HANGING BASE CABINET
Sliding work shelf. Three drawers 1 7/8" high.


1171—END PANEL
Fibersin panel to cover exposed end of Hanging Base Cabinet.

1173—COVER PANEL
Fibersin panel to cover exposed end of Hanging Base Cabinet where joined to 1011 Knee-Hole Unit.

HANGING BASE CABINET FILLERS
15 1/2" high
1190—6" panel
1191—12" panel
1192—18" panel
1193—22 1/2" panel

FILLER APRON
(See Nos. 1096 and 1097 on opposite page)


WALL CABINET



1018—WALL CABINET
Two sliding translucent doors, adjustable shelf, cabinet 18" high, 23" wide, 10" deep.

1028—WALL CABINET
Same as 1018 above except cabinet is 30" high.


SINKS INSTALLED




5032 Stainless Steel sink and strainer, 6" deep.

5033 Porcelain Sink.


FAUCETS INSTALLED



5025 Two handle mixing faucet with aerator.



5026 Single handle mixing faucet with aerator.



5027 Same as above with soap dispenser.




5028 Foot-operated valve with gooseneck.

A COMPLETE LINE OF MODULAR CABINETS


by **ALLISON** for
MAXIMUM WORKING CONVENIENCE

FIBERESIN TOPS Order by number shown.

APO Cabinet Tops are available for the individual unit or in continuous lengths up to 96". (See paragraph on "How to Measure" for definite instructions on measuring tops.)




1080—FIBERESIN TOP
With 4" curb (back splash)—specify length.




1084—FIBERESIN TOP
Corner cabinet top with 4" curb (back splash). Allow 27" along each wall.



1085—FIBERESIN TOP
With 4" reagent shelf extended beyond 4" curb. Allow 21 1/2" CABINET DEPTH for this top.



1086—FIBERESIN TOP
Corner cabinet top with 4" reagent shelf extended beyond back. Allow 30 1/2" along each wall.



1082—FIBERESIN TOP
With 4" reagent shelf and 4" curb—specify length.



1087—FIBERESIN END-CURB
4" end curb, 18" deep for either end of continuous unit. (Specify which end.)

1088—FILLER
For use as a spacer in the open area behind cabinet when Nos. 1085 and 1086 Tops are used. (Only necessary when cabinet end is exposed—specify which end.)

FILLERS

For use when less than 23" is available for placement of cabinet. Use appropriate standard width filler which can be fitted to exact dimensions when installed.

BASE CABINET FILLERS AND BASES

36-11/16" high

1090 6" panel

1091 12" panel

1092 18" panel

1093 22 1/2" panel

1094 12 1/2" filler panel with 10 7/8" door. (If additional filler panel is needed, add from above.)

FILLER APRONS

(For use when front apron is desired on overhanging top of Base or Hanging Base Cabinets.)

1096 12" Filler Apron
1097 22 1/2" Filler Apron

END PANELS

1031—END PANEL
Fibersin panel, to cover exposed end of "Base" Cabinets and "Special Purpose" Cabinets.

1033—END PANEL
Fibersin panel, to support exposed end of 1011 Knee-Hole Unit.

1034—COVER PANEL
Fibersin panel, to cover exposed end of Base Cabinet when joined to 1011 Knee-Hole Unit.

1035—COVER PANEL
Fibersin panel, to cover exposed end of Base Cabinet when joined to Hanging Base Cabinet.

ACCESSORIES

5041 AIR COCK (specify location).


5042 GAS COCK (specify location).

5045 DOUBLE ELECTRICAL OUTLET (specify location).


5049 LAZY SUSAN for 1010 Corner Cabinet.

5050 SOAP DISPENSER

DRAWER INSERTS



1024—DRAWER SPACER
Hardwood, for use in drawer behind dental tray.



1025—BOTTLE RACK INSERT
Accordion type, metal, enamelled white. Stores bottles at convenient angle.

DENTAL TRAYS




5051 Tray



5052 Tray

Highest quality Vitrolite. All types measure 4" x 8" and are available in styles shown.



5053 Tray




5054 Tray




5055 Instrument Tray

Use these scaled blocks for laying out and measuring your APO Cabinet installation on paper.
Scale: 1/4" = 1'



This block is a scaled reproduction of all Base Cabinets and Hanging Base Cabinets 1000 and 1100 Series.

Scaled reproduction of Corner Cabinet.



Scaled reproduction of Hanging Wall Cabinet.

HOW TO MEASURE

CABINETS

All APO Base Cabinets are made as individual units and can be combined or arranged at time of installation. Corner cabinet requires 27" of space on each wall. All other cabinets occupy 23" of wall space.

TOPS

Tops can be fitted individually or continuous up to 96" in length. To figure top length, allow 23" for each cabinet except 1010 Corner Cabinet which requires 27" on each wall and has individual top.

If one end of cabinet is exposed, add 1" to top length. If two ends of cabinets are exposed, add 2" to top length.

END PANELS


End Panels are used when either end of cabinet is exposed. If cabinets extend from wall to wall, end panels are not needed. One end against wall and one end exposed requires one end panel, adds 1" to top length. Both ends of cabinets exposed requires two end panels, adds 2" to top length.

COVER PANELS


Cover Panels are used to cover exposed ends when cabinets of different heights are used side by side. Does NOT add to top length.

FILLER PANELS


Filler Panels are used when less than 23" is available for placement of cabinet. Add filler panel length to top length. ALL MEASUREMENTS SHOULD BE MADE FROM LEFT TO RIGHT FACING CABINETS.




1080 Top
1154 Hanging Base Cabinet
1035 Cover Panel
1002 Base Cabinet
1034 Cover Panel
1011 Knee Hole Unit
1033 End Panel



1080 Top
1090, 1091, 1092 or 1093 Filler Panel
1008 Base Cabinet
1004 Base Cabinet
1031 End Panel



1080 Top
1190, 1191, 1192 or 1193 Filler Panel
1163 Hanging Base Cabinet
1173 Cover Panels
1011 Knee Hole Unit
1153 Hanging Base Cabinet
1171 End Panel



1080 Top
1096 or 1097 Filler Apron
1031 End Panel
1000 Base Cabinet
1031 End Panel

TYPICAL APO INSTALLATIONS


Illustrations of APO Units shown on this page are for your convenience when ordering APO Furniture. Note placement of end panels and filler panels, etc. Follow this procedure when ordering your installation—always remember — the ends of base cabinets must always be faced with an end panel.

End panels are not necessary between base cabinets when such cabinets are joined to make a continuous unit.

To avoid confusion use the handy special order form when laying out your office or treatment room.



A COMPLETE LINE OF MODULAR CABINETS
BY ALLISON



A COMPLETE LINE OF MODULAR CABINETS
BY ALLISON

easy to install...easy to change...a "do it yourself" grouping.

Every ALLISON APO Cabinet can be readily positioned exactly where you want it... installations may be made easily and with minimum effort. A wide variety of arrangements is possible with this flexible line... truly a "do it yourself" grouping.



Mounting strips for APO Wall Cabinets are easily installed. The entire APO installation process is a simple "do it yourself" type of project.








No need to subcontract job of installing APO cabinets. A minor knowledge of cabinet installation techniques and a few handy tools are the only requisites needed for rapid setting up of APO furniture.



A few simple steps and your APO furniture is ready for immediate use. Installation time is cut to the barest minimum.

APO Base Units may be moved readily with minimum effort if a different location is desired. Simply disconnect plumbing and utilities, then move free standing units to new location.

ALLISON APO CABINETS for EVERY PROFESSIONAL SUITE



- OPERATORIES
- EXAMINING ROOMS
- LABORATORIES
- NURSES STATIONS
- UTILITY ROOMS

There is an APO Cabinet Combination for every installation... every purpose. A few of the many possibilities are illustrated to show how every room or area becomes a more efficient work unit in the Professional Suite.

Your supply dealer is equipped to assist you in the planning and laying-out of your suite.

SPECIAL ORDER FORM

The handy APO Order Form has been designed to guide you when planning and ordering APO cabinet groupings. Use it. Additional copies will be mailed upon request.

RETURN TO
DESIGN DIV.

W. D. ALLISON COMPANY

1133 BURDSAL PARKWAY
INDIANAPOLIS 23, INDIANA

PLANNING SERVICE

Your Allison Dealer is prepared to assist you in the planning and layout of your Office, Operator, Clinic or Laboratory. Call him today and let him show you how you can profitably use APO Cabinets to reduce unnecessary motion and fatigue.

a SHAMPAINE  Industry



ALLISON APO

PROFESSIONAL OFFICE FURNITURE PRICE LIST

MODULAR CABINETS AND ACCESSORIES FOR
THE PROFESSIONAL OFFICE AND LABORATORY


Prices Effective February 5, 1960

All prices subject to change without notice.

W. D. ALLISON CO.


1133 BURDSAL PARKWAY

INDIANAPOLIS 23, IND.

a SHAMPAINE  Industry

- All orders subject to acceptance at Factory and subject to prices prevailing at time of shipment. Prices shown are f. o. b. Indianapolis, Ind. and Zone Prices. They include packing for domestic transportation. Terms: 2-10-30. Minimum order \$7.00.
- We reserve the right to modify patterns and design of equipment illustrated because of latest design trends or because of factors beyond our control.
- All orders are non-cancellable after job is put into production.
- Cabinets and accessories must not be returned without specific authority from us.
- We can not assume responsibility for damage or loss in transit. Our responsibility for safe delivery ceases when transportation company accepts shipment in good order.
- All merchandise should be unpacked and inspected within 10 days. Any damage or loss must be reported to transportation company within that period.
- All A. P. O. Cabinets finished in beautiful DOE-GRAIN COLOR FIBERESIN.

For information on Auxiliary Cabinets, Mobile Cabinets, Examining Room Furniture and other Professional Furniture — Write
W. D. ALLISON COMPANY



ZONES

ZONE 1:



Illinois, Indiana, Kentucky, Michigan, Ohio, West Virginia, and Wisconsin.

ZONE 2:

Alabama, Arkansas, Colorado, Connecticut, Delaware, Florida, Georgia, Iowa, Kansas, Louisiana, Maine, Maryland, Massachusetts, Minnesota, Mississippi, Missouri, Nebraska, New Hampshire, New Jersey, New York, North Carolina, North Dakota, Oklahoma, Pennsylvania, Rhode Island, South Carolina, South Dakota, Tennessee, Texas (Eastern), Vermont, Virginia, and Washington, D. C.

ZONE 3:





Arizona, California, Idaho, Montana, Nevada, New Mexico, Oregon, Texas (Western), Utah, Washington, and Wyoming.

	FOB Indianapolis Each	ZONE 1 Each	ZONE 2 Each	ZONE 3 Each
BASE CABINETS (Without Tops) 23" wide - 18" deep 38" to working surface				
 1000				
 1002				
1000 BASE CABINET — Two Doors - adjustable shelf	\$ 87.50	\$ 90.50	\$ 92.00	\$ 94.00
1002 BASE CABINET — Two drawers 3 3/4" high. Two Doors - adjustable shelf	105.00	108.00	109.50	111.50
1003 BASE CABINET — Three Drawers 1 7/8" high. Two Doors - adjustable shelf.	118.00	121.00	122.50	124.00
1004 BASE CABINET — Four Drawers - Three 1 7/8" high - One 3 3/4" high. Two Doors - adjustable shelf	132.50	135.50	137.00	138.50
1006 BASE CABINET — Six Drawers 3 3/4" high	140.00	143.00	144.50	146.00
1008 BASE CABINET — Eight Drawers - Six 1 7/8" high - Two 3 3/4" high	160.00	163.00	164.50	166.00
1009 SINK CABINET — Two Doors, swinging hamper door and towel hamper	100.00	103.00	104.50	106.00
1010 CORNER CABINET — One Door, swinging hamper door and towel hamper	130.00	134.00	136.00	138.00


BASES

(Instead of standard 5" base)				
2" Base - add per unit	\$ 2.00	\$ 2.00	\$ 2.00	\$ 2.00
8" Base - add per unit	\$ 2.00	\$ 2.00	\$ 2.00	\$ 2.00

SPECIAL PURPOSE CABINETS



(Without tops except where indicated otherwise)				
 1011				
1011 KNEE HOLE UNIT — 7 3/4" high - One Drawer 3 3/4" high	\$ 38.50	\$ 41.50	\$ 42.50	\$ 43.50
 1012				
1012 LIFT TOP UNIT — Supplied with top - Two Doors - adjust- able shelf upper section 11 3/4" high x 21 1/2" wide x 17" deep - furnished with electrical outlet. Can be used for welder, hydrocolloid, amalgamator, sterilizer, etc.	126.00	129.00	130.50	132.50
 1013				
1013 TRAY UNIT — Sliding Door - Three Drawers 3 3/4" high - upper section provides space for eight trays - sliding door may be used for work surface	120.00	123.00	124.50	126.00
 1014				
5013 STAINLESS STEEL TRAYS — For 1013 - Tray Unit above 9 3/4" x 13 1/2" x 5/8"	5.25	5.25	5.25	5.25
1014 INSTRUMENT CABINET — Three drawers - two 1 7/8" high - one 3 3/4" high - two doors, adjustable shelf - drawer section can be extended 10" out of cabinet, has separate work sur- face; drawers extend 8"	225.00	229.00	230.50	232.00
1024 DRAWER SPACER — For use in drawers as spacer behind Dental Trays	.95	.95	.95	.95
1025 BOTTLE RACK INSERT	5.00	5.00	5.00	5.00

END PANELS


 1031				
1031 FIBERESIN PANEL — To Cover exposed end of Base Cabinets and "Special Purpose" Cabinets	\$ 14.75	\$ 15.50	\$ 16.25	\$ 17.25
 1033				
1033 FIBERESIN PANEL — To support exposed end of 1011 Knee Hole Unit	22.50	23.50	24.50	25.50

	FOB Indianapolis Each	ZONE 1 Each	ZONE 2 Each	ZONE 3 Each
--	-----------------------------	-------------------	-------------------	-------------------






COVER PANELS

 1034				
1034 FIBERESIN PANEL — To cover exposed end of Base Cabinet when joined to 1011 Knee Hole Unit	\$ 12.50	\$ 13.25	\$ 14.00	\$ 15.00
 1035				
1035 FIBERESIN PANEL — To cover exposed end of Base Cabinet when joined to Hanging Base Cabinet	9.00	9.75	10.50	11.50

WALL CABINETS

23" Wide - 10" Deep				
 1018				
1018 Two Sliding Translucent Doors — Adjustable shelf - 18" high	\$ 67.50	\$ 70.00	\$ 71.50	\$ 73.50
1028 - Same as 1018 above except 30" high	84.50	87.00	89.00	90.50

HANGING BASE CABINETS

(Without Tops) 23" Wide, 18" Deep, 15 1/2" High.				
 1100				
1100 HANGING BASE CABINET — Two door cupboard with shelf	\$ 51.00	\$ 53.50	\$ 54.50	\$ 56.00
 1109				
1109 HANGING SINK CABINET — Fibersin panel on front	40.00	42.50	43.50	45.00
 1153				
1153 HANGING BASE CABINET — Three drawers; one 1 7/8" high, two 3 3/4" high	72.50	75.00	76.00	77.50
 1154				
1154 HANGING BASE CABINET — Four drawers 1 7/8" high	86.00	88.50	90.00	91.50
 1163				
1163 HANGING BASE CABINET — Top opening sliding work shelf - three drawers 1 7/8" high	85.00	87.50	89.00	90.50







END PANELS

1171 FIBERESIN PANEL — To cover exposed end of Hanging Base Cabinet	\$ 9.00	\$ 9.50	\$ 9.75	\$ 10.50
---	---------	---------	---------	----------

COVER PANEL

1173 FIBERESIN PANEL — To cover exposed end of Hanging Base Cabinet when joined to 1011 Knee Hole Unit	\$ 5.00	\$ 5.50	\$ 5.75	\$ 6.25
---	---------	---------	---------	---------

FIBERESIN TOPS

 1080				
1080 TOP — With 4" Curb - Specify length	\$10.00 per ft.	—	—	—
 1082				
1082 TOP — With 4" Reagent Shelf and 4" Curb - Specify length	12.50 per ft.	—	—	—
 1084				
1084 CORNER CABINET TOP — With 4" Curb	35.00 Each	—	—	—
 1085				
1085 TOP — With 4" Reagent Shelf extended beyond 4" Curb - 21 1/2" Cabinet depth - Specify length	14.00 per ft.	—	—	—
 1086				
1086 CORNER CABINET TOP — With 4" Reagent Shelf extended beyond 4" Curb. Allow 30 1/2" along each wall	47.50 Each	—	—	—
 1087				
1087 END CURB — 18" long (specify end)	5.00 Each	—	—	—
1088 FILLER — For use with 1085 or 1086 Tops when Cabinet end is exposed - specify which end	5.00 Each	—	—	—

FILLER PANELS	FOB Indianapolis Each	ZONE 1 Each	ZONE 2 Each	ZONE 3 Each
Base Cabinet Fillers and Bases				
1090 - 6" Wide	\$ 8.00	\$ 8.50	\$ 9.00	\$ 10.00
1091 - 12" Wide	12.00	12.75	13.50	14.50
1092 - 18" Wide	16.00	16.75	17.50	18.50
1093 - 22 7/8" Wide	21.50	22.50	23.25	24.25
1094 - 12 1/8" Filler with 10 7/8" Door	25.00	26.00	26.75	27.75

HANGING BASE CABINET FILLERS

1190 - 6" Wide	\$ 5.00	\$ 5.50	\$ 5.75	\$ 6.50
1191 - 12" Wide	7.00	7.50	7.75	8.50
1192 - 18" Wide	9.50	10.00	10.25	11.00
1193 - 22 7/8" Wide	12.50	13.50	14.25	15.25

FILLER APRON

1096 - 12" Apron	\$ 3.50	\$ 3.50	\$ 3.50	\$ 3.50
1097 - 22 7/8" Apron	4.75	4.75	4.75	4.75
1098 - 23" Box Filler				
Front - for use between two Base Cabinets, to join adjacent Cabinets together and secure Top to Filler	16.00	16.50	17.00	17.75



1098

FAUCETS

(Installed)

	FOB Indianapolis Each
5025 Two handle Mixing Faucet	\$17.00
5026 Single Handle Mixing Faucet	31.00
5027 Same as 5026 above with Soap Dispenser	41.00
5028 Foot operated Valve with Gooseneck	62.50

SINKS

(Installed)

5032 Stainless Steel 6" Deep	\$41.50
5033 Porcelain	30.00

ACCESSORIES

(Specify Location)

5041 Air Cock	\$ 5.30
5042 Gas Cock	5.30
5045 Double Electric Outlet	6.00
5049 Lazy Susan for 1010 Corner Cabinet	32.50
5050 Foot Operated Vestal Soap Dispenser	24.00

DENTAL TRAYS

(Minimum Order \$7.00)

5051 Tray	\$ 1.25
5052 Tray	1.25
5053 Tray	1.50
5054 Tray	1.25
5055 Tray	1.25
5057 Lead Lined Film Box	10.00
5058 Adhesive Backed Bumper - 5 ft. Strip	1.60
5059 1/2 Oz. Amber Medicine Bottle85
5060 1/2 Oz. Clear Medicine Bottle85
5061 Sheet of gummed Labels for Medicine Bottles10
	Per Dozen
5062 Drawer Liners 20" x 12"	\$ 1.00
	Each
5063 Cement Insert	\$12.00
5064 Burr Block	5.50

HOW TO MEASURE FOR APO CABINETS**CABINETS**

All APO Base Cabinets are made as individual units and can be combined or arranged at time of installation. Corner cabinet requires 27" of space on each wall. All other cabinets occupy 23" of wall space.

TOPS

Tops can be fitted individually or continuous up to 96" in length. To figure top length, allow 23" for each cabinet except 1010 Corner Cabinet which requires 27" on each wall and has individual top.

If one end of cabinet is exposed, add 1" to top length. If two ends of cabinets are exposed, add 2" to top length.

END PANELS

End Panels are used when either end of cabinet is exposed. If cabinets extend from wall to wall, end panels are not needed. One end against wall and one end exposed requires one end panel, adds 1" to top length. Both ends of cabinets exposed requires two end panels, adds 2" to top length.

COVER PANELS

Cover Panels are used to cover exposed ends when cabinets of different heights are used side by side. Does NOT add to top length.

FILLER PANELS

Filler Panels are used when less than 23" is available for placement of cabinet. Add filler panel length to top length.

ALL MEASUREMENTS SHOULD BE MADE FROM LEFT TO RIGHT FACING CABINETS.

NOTE: For Information on**AUXILIARY CABINETS****MOBILE CABINETS****EXAMINING ROOM FURNITURE****and OTHER PROFESSIONAL FURNITURE****WRITE: W. D. ALLISON COMPANY**

Use the handy APO Order Form when entering orders for APO UNITS — Send for a Supply!